

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
1 BRS	18	assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:30		
2 IS&R	2	("5207095").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:37		
3 IS&R	2	("5034894").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:37		
4 IS&R	2	("5074144").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:41		
5 IS&R	2	("4500868").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:42		
6 IS&R	2	("4933852").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:42		
7 IS&R	2	("4716458").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:43		
8 IS&R	2	("4275378").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:45		
9 IS&R	2	("4093039").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:46		
10 IS&R	2	("5150609").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:46		
11 IS&R	2	("4945759").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:46		
12 BRS	451	vehicle\$1 with (operator\$ or driver\$1) with performance and environment\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:50		Truncation overflow.
13 BRS	322	vehicle\$1 with (operator\$ or driver\$1) with performance and environment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:59		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
14	BRS	14	assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance and environment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:57		
15	BRS	84	vehicle\$1 with operation with (operator\$ or driver\$1) with performance and environment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:00		
16	BRS	16	vehicle\$1 with operation with (operator\$ or driver\$1) with performance and environment with condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:01		
17	BRS	29	vehicle\$1 with operation with (operator\$ or driver\$1) with performance and environment with (state or status or condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:02		
18	BRS	23	vehicle\$1 with operation with (operator\$ or driver\$1) with performance and environment with (state or status or condition) not (assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance and environment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:08		
19	BRS	29	vehicle\$1 with operation with performance and (operator\$ or driver\$1) with (state or status or condition) and environment with (state or status or condition) not (assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance and environment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:21		
20	BRS	32	5465079.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:21		
21	BRS	5	assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance and telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 14:20		

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
22	BRS	10	vehicle\$1 with (operator\$ or driver\$1) with performance and telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:00		
23	BRS	1	"6311128".PN.	USPAT	2003/05/28 16:39		
24	BRS	1	"6278939".PN.	USPAT	2003/05/28 16:39		
25	BRS	1	"6246932".PN.	USPAT	2003/05/28 16:39		
26	BRS	5	vehicle\$1 with (operator\$ or driver\$1) with performance and infotainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:48		
27	BRS	18	vehicle\$1 with infotainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:49		
28	BRS	146	vehicle\$1 with telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:00		
29	BRS	38	vehicle\$1 with telematics with control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:27		
30	BRS	11	vehicle\$1 with infotainment with control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:15		
31	BRS	14	vehicle\$1 and infotainment with control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:15		
32	BRS	3	vehicle\$1 and infotainment with control\$3 not (vehicle\$1 with infotainment with control\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:16		
33	BRS	33	vehicle\$1 and infotainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:16		
34	BRS	22	vehicle\$1 and infotainment not (vehicle\$1 with infotainment with control\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:16		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
35 BRS	12	vehicle\$1 with telematics with entertainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:34		
36 IS&R	2	("6294989").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:29		
37 BRS	17	vehicle\$1 and telematics with entertainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:31		
38 BRS	1248	vehicle\$1 with entertainment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:34		
39 BRS	234	vehicle\$1 with entertainment with information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 17:35		
40 BRS	19	vehicle\$1 with entertainment with information and telematics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 18:10		
41 BRS	89	(702/\$.ccls.) and integrated with circuit and phase with locked with loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 18:12		
42 BRS	4	(702/\$.ccls.) and (integrated with circuit and phase with locked with loop).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 18:12		
43 BRS	0	assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance with passenger\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 14:27		
44 BRS	9	assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance and passenger\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:18		
45 BRS	695	701/35.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 14:30		
46 BRS	5	assess\$3 with vehicle\$1 with (operator\$ or driver\$1) with performance and traffic with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:19		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
47	BRS	108	vehicle\$1 with (operator\$ or driver\$1) with performance and traffic with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:20		
48	BRS	8	vehicle\$1 with (operator\$ or driver\$1) with performance with traffic with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 15:25		
49	BRS	7	vehicle\$1 with (operator\$ or driver\$1) with performance with traffic with condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:08		
50	BRS	2	vehicle\$1 with (operator\$ or driver\$1) with performance with rule\$1 adj base\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:16		
51	BRS	20	vehicle\$1 with (operator\$ or driver\$1) with performance and rule\$1 adj base\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:25		
52	BRS	1	vehicle\$1 with (operator\$ or driver\$1) with performance with fuzzy with logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/29 16:26		
53	BRS	56	vehicle\$1 with (operator\$ or driver\$1) with performance and fuzzy with logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 10:03		
54	BRS	41	vehicle\$1 with (operator\$ or driver\$1) with performance and (entertainment or infotainment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 10:05		
55	BRS	21	vehicle\$1 with (operator\$ or driver\$1) with performance and (entertainment or infotainment) with control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 10:20		
56	BRS	5	vehicle\$1 with (operator\$ or driver\$1) with performance and infotainment with control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 11:50		
57	BRS	11	vehicle\$1 with (operator\$ or driver\$1) with performance and inference with engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 11:58		
58	BRS	50	vehicle\$1 with (operator\$ or driver\$1) with performance and master with condition\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 17:18		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
59	BRS	11	vehicle\$1 with (operator\$ or driver\$1) with performance and select\$3 with master with condition\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:26		
60	BRS	34	sensor with fusion with module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:31		
61	BRS	29	(data or sensor) with fusion with module not (sensor with fusion with module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:19		
62	BRS	14	sensor adj fusion adj module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:33		
63	BRS	33	sensor adj fusion adj (system or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:33		
64	BRS	14	vehicle\$1 with performance and sensor adj fusion adj (system or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 14:44		
65	BRS	21	vehicle\$1 with performance and sensor adj fusion not (vehicle\$1 with performance and sensor adj fusion adj (system or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:01		
66	BRS	74	701/\$.cccls. and sensor adj1 fusion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:01		
67	BRS	25	vehicle\$1 with sensor with (fused or fusing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:34		
68	BRS	3	vehicle\$1 with (condition or status or state) with sensor with (fused or fusing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 16:15		
69	BRS	4	5860674.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 15:37		
70	BRS	25	vehicle\$1 with performance and sensor\$1 with (fused or fusing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/30 17:19		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
71 BRS	45	vehicle\$1 with sensor with fusc\$3 with (condition or status or state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:29		
72 BRS	1825	340/903,431,436,53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:42		
73 BRS	2859	340/903,431,436,53,540.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:44		
74 BRS	2191	180/168,271.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:39		
75 BRS	2624	180/168,271,272.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:39		
76 BRS	3306	340/903,431,439,436,53,540.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 10:40		
77 BRS	4	vehicle\$1 with sensor with fusc\$3 with fuzzy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 11:46		
78 BRS	1	vehicle\$1 with (operator\$ or driver\$1) with performance with inference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 11:58		
79 BRS	26	vehicle\$1 with (operator\$ or driver\$1) with performance and inference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:10		
80 BRS	2	"20020032510"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:11		
81 IS&R	1	("6564127").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:11		
82 IS&R	2	("6285930").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:15		
83 IS&R	2	("6268803").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
84	IS&R	2	("5499182").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:16		
85	IS&R	2	("5074144").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:17		
86	IS&R	2	("5074144").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:19		
87	IS&R	2	("5150609").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:20		
88	IS&R	2	("5034894").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:20		
89	BRS	993	702/188.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:45		
90	BRS	1984	702/182,183,188.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:48		
91	BRS	785	702/for.155,for.163,for.170,for.171.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/01 12:48		